S. No.	Name of country	1996-97 (Qty. in LMTs.)	1997-98 (Qty. in LMTs.)
6.	QATAR ROMANIA	2.95	1.33
7.	SAUDI ARABIA UAE	1.60	1.22
8.		2.98	1.46
9.		1.47	1.31
	TOTAL	23.28	13.62

Statement-III

Arrival of imported fertilizers and Cost & Freight (C&F) value

Product		Quantity (Lakh MTs.)	C&F Value (US $ in million)
UREA	1994-95	28.70	507.47
(On Govt. account)	1995-96	37.82	874.41
	.1996-97	23.28	472.70
	tl997-98 (upto July97)	13.62	234.60
DAPtl:	1994-95	8.65	NA
	1995-96	15.14	NA
	1996-97	5.34	NA
	-I-+1997-98 (upto July-97)	7.97	NA
MOPtt	1994-95	18.48	NA
	1995-96	21.92	NA
	1996-97	10.21	NA
	tl997-98 (upto July-97)	6.80	NA

‡ the date for 1997-98 is a provisional ‡‡estimate, tt figures of impors of decontroled fertilizers are as available with the Department. NA;Not available as the imports are on private account.

Hanumantha Rao Committee Report

1889. SHRI BHRAMAKUMAR BHATT: Will the Minister of CHEMICALS & FERTILIZERS be pleased to state:

(a) whether Government have received the Hanumantha Rao Committee Report on retention price for fertilizers units in the country;

(b) if so, the details thereof;

(c) whether Government propose to formulate a new fertilizer policy on the basis of the report; and

(d) if so, by when the new policy will be finalised and laid on the Table of the House?

THE MINISTER OF CHEMICALS AND FERTILIZERS (SHRI M. ARUNACHALAM): (a) No, Sir.

(b) Does not arise.

(c) and (d) A report on the decision of the Government regarding fertilizer policy in the light of the recommendation of the Hanumantha Rao Committee would be laid in the Table of the House in due course.

Setting up of liquid sulphur terminal in Andhra Pradesh

1890. SHRI K.M. KHAN: Will the Minister of CHEMICALS & FERTILIZERS be pleased to state:

(a) whether India's first liuqid sulphur terminal has been set up in Andhra Pradesh at the cost of Rs. 10.50 crore;

(b) if so, the special features of this terminal;

(c) whether such installation has benefited the State, country and common man of Andhra Pradesh in any way; and

(d) if so, details thereof and if aot, the reasons for allowing its installation?